
TrestleTM

Transurethral Prostatic Bridge-Catheter

The Bridge to Treatment and Recovery that Allows for Patient Control




Seston Scientific MICROVASIVE®

Trestle[™]

Transurethral Prostatic Bridge-Catheter

Unique Two-piece Design Facilitates External Sphincter Control and Allows for Normal Urinary Function

Introducing the first transurethral prostatic bridge-catheter to offer temporary relief from prostatic obstruction and still allow patient control of the voiding function. When in place, the unique two-piece construction of the Trestle™ Transurethral Prostatic Bridge-Catheter facilitates bladder drainage while a series of sutures *cross over* the striated sphincter to permit urinary control.



Easy Placement

- Six easy steps to transurethral placement
- Tactile feedback during insertion facilitates accurate positioning
- Only requires local anesthetic

Enhanced Patient Comfort


- Less catheter-to-urethral interface to minimize irritation
- Soft silicone catheter material for enhanced flexibility and biocompatibility
- Eliminates external catheter communication to minimize risk of infection


Improved Quality of Life for the Patient

- Eliminates the need for cumbersome drainage bag or connecting tube
- Permits patient control of voiding function

Easy Removal

- Simple removal with or without a urethroscope
- Convenient retrieval suture is pre-attached for fast, easy withdrawal





Inflation Syringe
For convenient balloon inflation



Prostatic Urethra Catheter SegmentProvides suppression of

- Provides suppression o - prostatic obstruction

Removal SuturePre-attached for fast,
easy withdrawal

Bulbous Urethra
Catheter Segment
Balloon aids in locating the
external sphincter for accurate
positioning while preventing


upward migration

Connecting Sutures
Bridge the external sphincter
for patient control


Technique for Easy Placement*




Stretch the penis vertical to the body and insert the Trestle™ bridge-catheter into the urethral meatus.




Continue to slowly advance the Trestle bridge-catheter forward through the striated sphincter (like an endoscope), approximately 10-12cm, until resistance is felt. This resistance indicates that the balloon is contacting the striated sphincter and in the correct position.




Slowly advance the Trestle bridge-catheter through the urethra until resistance is felt between the tip of the prostatic urethra catheter segment and the striated sphincter.



Unlock and remove the stylet from the stylet arm. Unlock and remove the inflation cannula from the inflation arm to deflate balloon. Remove the outer pusher tube.



For complete placement instructions, see directions for use document supplied with product. With one hand, immobilize the pusher tube delivery system between the thumb and index finger. Using the other hand, inflate the balloon with 1cc of saline or sterile water.



Confirm placement under direct vision by performing urethroscopy. Cut the removal suture 5cm below the urethral meatus. The Trestle bridge-catheter is now in place.

Trestle TM Transurethral Prostatic Bridge-Catheter



The Bridge to Treatment of Temporary Prostatic Obstruction

Ordering Information:

Order Number	Size	Overall Bridge Catheter	Bulbous Urethra Segment Length (cm)	Urethra Segment	
440-105	22	13.2	3.5	7.0	

EsyPagamant

. ≟rhanea) Palian Comior≀

This product is covered by one or more of the following patents. European Patent No. EP 0 684-802 B1, EP 0-753-289 A1, and other pending U.S. and foreign patent applications.

impoved Amilisy Si Lite

Basy Removal

Scientific MICROVASIVE*

Freephone from Sweden
1el 020 65 25 30 Fax 020-55 25 35 Freephone from Finland
1el 09 672 42 85 Fax: 09 622 42 86 Freephone from Demnark
1el 80 30 80 02 Fax: 80 30 80 05 Freephone from Norway
Tel 80 010 404 Fax: 80 010 150

Boston Scientific Nordic AB Berga Alle 1 25/452 Helsingburg Sviedon TEL 46 42 15 4118 1AX 46 47 16 2477 Boston Scientific Int. S.A. Gaetano Martinolaan 85 6229 GS Maustricht Netherlands TEL: 31+0043-356-8265 FAX: 31+0143-356-8265 Boston Scientific Etd New England House Sandridge Park, Porters Wood St. Albans, Herts AL3 6PH UK TEL 44 (0) 1727 831666 FAX 44 (0) 1727 836371

© 1998 Boston Segetific Coronation Pageographic to the Corporation